S450 Specs

Manufacturer

Bobcat Model Year

2016 **Model**

S450

Dimensions

Length

98.4 in. Length w/Bucket

124.9 in. **Height**

77.8 in. **Width**

58.6 in. **Width w/Bucket**

62 in. **Weight**

5,027 lbs. **Wheelbase**

35.4 in. Turning Radius

76.4 in.

Engine & Drivetrain

Engine Type

Turbocharged Tier 4 emissions **Horsepower**

49 hp **Fuel Type**

Diesel Fuel Tank Capacity

14.4 gal. **Cooling**

Liquid

Travel Speed - Forward

7.1 mph 2-speed Option: 9.2 mph

Hydraulics

Std Pump Flow

16.7 gpm **System Pressure**

At Quick Couplers: 3,300 psi

Operational

Rated Operating Capacity

1,300 lbs. **Tipping Load**

2,600 lbs. Height to Bucket Pin

109.5 in. Reach @ Max. Height

20.8 in.

S570 Specs

Manufacturer

Bobcat Model Year

2016 **Model**

S570

Dimensions

Length

133 in. Length w/o Bucket

104.6 in. **Height**

77.8 in.

Width

64.7 in. Width w/Bucket

68 in. **Weight**

6,480 lbs. **Wheelbase**

42.6 in. Turning Radius

79.7 in.

Engine & Drivetrain

Engine Type

Turbocharged Tier 4 emissions **Horsepower**

61 hp Fuel Type

Diesel Fuel Tank Capacity

24.75 gal. **Cooling**

Liquid Travel Speed - Forward

7.4 mph 2-speed Option: 11 mph

Hydraulics

Std Pump Flow

Standard Flow: 17.1 gpm High Flow: 26.7 gpm System Pressure

At Quick Couplers: 3,500 psi

Operational

Rated Operating Capacity

1,950 lbs. **Tipping Load**

3,900 lbs.

Height to Bucket Pin

119 in. Reach @ Max. Height

32.6 in.

S590 Specs

Manufacturer

Bobcat Model Year

2016 **Model**

S590

Dimensions

Length

133 in. Length w/o Bucket

104.6 in. **Height**

77.8 in. **Width**

65.2 in. **Width w/Bucket**

68 in. **Weight**

6,593 lbs. **Wheelbase**

42.6 in. Turning Radius

79.7 in.

Engine & Drivetrain

Engine Type

Turbocharged Tier 4 emissions **Horsepower**

66 hp **Fuel Type** Diesel Fuel Tank Capacity

24.75 gal. **Cooling**

Liquid Travel Speed - Forward

7.4 mph 2-speed Option: 11 mph

Hydraulics

Std Pump Flow

Standard Flow: 17.1 gpm High Flow: 26.7 gpm System Pressure

At Quick Couplers: 3,500 psi

Operational

Rated Operating Capacity

2,100 lbs. **Tipping Load**

4,200 lbs. Height to Bucket Pin

119 in. Reach @ Max. Height

32.6 in.

S650 Specs

Manufacturer

Bobcat Model Year

2016 **Model**

S650

Dimensions

Length

136.8 in. Length w/o Bucket

108.4 in. **Height**

81.3 in. **Width**

72.1 in. Width w/Bucket

74 in. **Weight**

8,061 lbs. **Wheelbase**

45.3 in. Turning Radius

82.9 in.

Engine & Drivetrain

Engine Type

Turbocharged Tier 4 emissions **Horsepower**

74 hp Fuel Type

Diesel Fuel Tank Capacity

27.5 gal. **Cooling**

Liquid Travel Speed - Forward

7.1 mph 2-speed Option: 12.3 mph

Hydraulics

Std Pump Flow

Standard Flow: 23 gpm High Flow: 30.5 gpm System Pressure

At Quick Couplers: 3,500 psi



Rated Operating Capacity

2,690 lbs. **Tipping Load**

5,380 lbs. Height to Bucket Pin

124 in. Reach @ Max. Height

31.5 in.

S740 Specs

Manufacturer

Bobcat Model Year

2016 **Model**

S740

Dimensions

Length

141.6 in. Length w/o Bucket

114.3 in. **Height**

81.3 in. **Width**

72.1 in. Width w/Bucket

74 in. **Weight**

8,794 lbs. **Wheelbase**

48.3 in. Turning Radius

85.8 in.

Engine & Drivetrain

Engine Type

Turbocharged Interim Tier 4 emissions Horsepower

75 hp **Fuel Type**

Diesel Fuel Tank Capacity

23.9 gal. **Cooling**

Liquid Travel Speed - Forward

7.1 mph 2-speed Option: 12.3 mph

Hydraulics

Std Pump Flow

Standard Flow: 23 gpm High Flow: 30.5 gpm **System Pressure**

At Quick Couplers: 3,500 psi

Operational

Rated Operating Capacity

3,100 lbs. **Tipping Load**

6,200 lbs. Height to Bucket Pin

132 in. Reach @ Max. Height

31.5 in.