

## 418 Specs

### Manufacturer

Bobcat  
**Model Year**

2016  
**Model**

418

## Dimensions

### Length

110 in.  
**Height**

87 in.  
**Width**

28 in.  
**Weight**

2,593 lbs.  
**Fuel Tank Capacity**

4.2 gal.

## Engine

### Engine Model

Tier 4 emissions  
**Horsepower**

10.2 hp @ 2,370 rpm  
**Fuel Type**

Diesel

## Hydraulics

### System Relief Pressure

2,756 psi  
**Std Pump Flow**

5.28 gpm

## Operational

### Travel Speed - Forward

1.7 mph high  
1.3 mph low  
**Arm Force**

1,248 ft. lbs.  
**Dig Depth**

6 ft.  
**Bucket Reach**

10.1 ft. at ground level  
**Bucket Digging Force**

1,865 ft. lbs.  
**Dump Height**

6 ft.  
**Boom Lift Capacity**

527 lbs.  
**Boom Swing Radius**

118 in.  
**Boom Swing Radius - Left**

67°  
**Boom Swing Radius - Right**

64

## E20 Specs

### Manufacturer

Bobcat  
**Model Year**

2016  
**Model**

E20

## Dimensions

### Length

145.2 in.  
**Height**

90.4 in.  
**Width**

39 in.  
**Weight**

4,306 lbs.  
Weight Class: 2 t  
**Fuel Tank Capacity**

5 gal.

## Engine

### Engine Type

Tier 4 emissions

### Horsepower

13.9 hp @ 2,500 rpm

### Fuel Type

Diesel

## Hydraulics

### System Relief Pressure

2,610 psi

### Std Pump Flow

7.9 gpm

## Operational

### Travel Speed - Forward

2.5 mph high

1.5 mph low

### Arm Force

2,086 ft. lbs.

### Dig Depth

8.5 ft.

### Bucket Reach

14 ft. at ground level

### Bucket Digging Force

4,684 ft. lbs.

### Dump Height

8.8 ft.

### Boom Lift Capacity

1,023 lbs.

### Boom Swing Radius

118 in.

### Boom Swing Radius - Left

80°

## Boom Swing Radius - Right

60°

## Tail Swing Radius

Zero

## E26 Specs

### Manufacturer

Bobcat

### Model Year

2016

### Model

E26 T4 Long Arm

## Dimensions

### Length

170.4 in.

### Height

94.9 in.

### Width

59.6 in.

### Weight

6,091 lbs.

Weight Class: 2.8 t

### Fuel Tank Capacity

9.1 gal.

## Engine

### Engine Type

Tier 4 emissions

### Horsepower

24.8 hp @ 2,500 rpm

### Fuel Type

Diesel

## Hydraulics

### System Relief Pressure

2,610 psi  
**Std Pump Flow**

12.5 gpm

## Operational

**Travel Speed - Forward**

2.8 mph high  
1.5 mph low

**Arm Force**

2,967 ft. lbs.  
**Dig Depth**

9.5 ft.  
**Bucket Reach**

15.9 ft. at ground level  
**Bucket Digging Force**

4,991 ft. lbs.  
**Dump Height**

10.5 ft.  
**Boom Lift Capacity**

1,896 lbs.  
**Boom Swing Radius**

118.1 in.  
**Boom Swing Radius - Left**

60°  
**Boom Swing Radius - Right**

60°  
**Tail Swing Radius**

Minimal

## E32i Specs

**Manufacturer**

Bobcat  
**Model Year**

2016  
**Model**

E32i T4 Long Arm

## Dimensions

## Length

187.5 in.

## Height

95.6 in.

## Width

60 in.

## Weight

7,858 lbs.

Weight Class: 3.6 t

## Fuel Tank Capacity

14 gal.

# Engine

## Engine Type

Turbocharged

Tier 4 emissions

## Horsepower

24.8 hp @ 2,200 rpm

## Fuel Type

Diesel

# Hydraulics

## System Relief Pressure

2,987 psi

## Std Pump Flow

16.9 gpm

# Operational

## Travel Speed - Forward

2.9 mph high

1.6 mph low

## Arm Force

3,986 ft. lbs.

## Dig Depth

11.2 ft.

## Bucket Reach

17.4 ft. at ground level

## Bucket Digging Force

6,968 ft. lbs.

## Dump Height

11.5 ft.

## Boom Lift Capacity

2,481 lbs.

## Boom Swing Radius

118 in.

## Boom Swing Radius - Left

75°

## Boom Swing Radius - Right

55°

## Tail Swing Radius

Conventional

# E35i Specs

## Manufacturer

Bobcat

## Model Year

2016

## Model

E35i T4 Long Arm

## M.S.R.P.

[Request a Quote](#)

# Dimensions

## Length

190.1

## Height

95.6 in.

## Width

69 in.

## Weight

8,143 lbs.

Weight Class: 3.7 t

## Fuel Tank Capacity

14 gal.

# Engine

## Engine Type

Tier 4 emissions  
**Horsepower**

24.8 hp @ 2,550 rpm  
**Fuel Type**

Diesel

## Hydraulics

**System Relief Pressure**

2,987 psi  
**Std Pump Flow**

16.9 gpm

## Operational

**Travel Speed - Forward**

2.9 mph high  
1.6 mph low  
**Arm Force**

3,986 ft. lbs.  
**Dig Depth**

11.2 ft.  
**Bucket Reach**

18.1 ft. at ground level  
**Bucket Digging Force**

6,968 ft. lbs.  
**Dump Height**

11.6 ft.  
**Boom Lift Capacity**

2,798 lbs.  
**Boom Swing Radius**

118 in.  
**Boom Swing Radius - Left**

75°  
**Boom Swing Radius - Right**

55°  
**Tail Swing Radius**

Zero

## E45 Specs

## Manufacturer

Bobcat  
Model Year

2016  
Model

E45 T4 Long Arm

## Dimensions

### Length

211.8 in.

### Height

99.7 in.

### Width

77.2 in.

### Weight

10,553 lbs.

Weight Class: 4.8 t

### Fuel Tank Capacity

21 gal.

## Engine

### Engine Type

Turbocharged  
Tier 4 emissions

### Horsepower

42.7 hp @ 2,200 rpm

### Fuel Type

Diesel

## Hydraulics

### System Relief Pressure

3,045 psi

### Std Pump Flow

20 gpm

## Operational

### Travel Speed - Forward

2.6 mph high  
1.5 mph low  
**Arm Force**

4,690 ft. lbs.  
**Dig Depth**

11.8 ft.  
**Bucket Reach**

19.6 ft. at ground level  
**Bucket Digging Force**

7,650 ft. lbs.  
**Dump Height**

12.5 ft.  
**Boom Lift Capacity**

5,082 lbs.  
**Boom Swing Radius**

118.1 in.  
**Boom Swing Radius - Left**

75°  
**Boom Swing Radius - Right**

50°  
**Tail Swing Radius**

Zero

## E55 Specs

### Manufacturer

Bobcat  
**Model Year**

2016  
**Model**

E55 T4

## Dimensions

### Length

206.4 in.  
**Height**

100 in.  
**Width**

77.2 in.  
**Weight**

12,313 lbs.  
Weight Class: 5.6 t  
**Fuel Tank Capacity**

21.1 gal.

## Engine

### Engine Type

Turbocharged  
Tier 4 emissions  
**Horsepower**

49.8 hp @ 2,200 rpm  
**Fuel Type**

Diesel

## Hydraulics

### System Relief Pressure

3,045 psi  
**Std Pump Flow**

20 gpm

## Operational

### Travel Speed - Forward

3.1 mph high  
1.9 mph low  
**Arm Force**

5,751 ft. lbs.  
**Dig Depth**

12.9 ft.  
**Bucket Reach**

20 ft. at ground level  
**Bucket Digging Force**

8,977 ft. lbs.  
**Dump Height**

13.6 ft.  
**Boom Lift Capacity**

4,999 lbs.  
**Boom Swing Radius**

118 in.  
**Boom Swing Radius - Left**

75°  
**Boom Swing Radius - Right**

50°  
**Tail Swing Radius**

Conventional

## E63 Specs

### Manufacturer

Bobcat  
**Model Year**

2016  
**Model**

E63 T4

## Dimensions

### Length

225.6 in.  
147.6 in. in travel position

### Height

100.4 in.  
**Width**

78 in.  
**Weight**

13,779 lbs.  
Weight Class: 6.3 t  
**Fuel Tank Capacity**

20.6 gal.

## Engine

### Engine Type

Tier 4 emissions  
**Horsepower**

59.4 hp @ 2,100 rpm  
**Fuel Type**

Diesel

## Hydraulics

## System Relief Pressure

3,046 psi

## Std Pump Flow

22.5 gpm

# Operational

## Travel Speed - Forward

2.9 mph high

1.6 mph low

## Arm Force

5,767 ft. lbs.

## Dig Depth

13.5 ft.

## Bucket Reach

20.4 ft. at ground level

## Bucket Digging Force

9,731 ft. lbs.

## Dump Height

14 ft.

## Boom Lift Capacity

5,902 lbs.

## Boom Swing Radius

118.1 in.

## Boom Swing Radius - Left

70°

## Boom Swing Radius - Right

50°

## Tail Swing Radius

Conventional

# E85 Specs

## Manufacturer

Bobcat

## Model Year

2016

## Model

E85 T4

## Dimensions

### Length

246 in.  
158.4 in. in travel position

### Height

104 in.  
**Width**

91 in.  
**Weight**

18,960 lbs.  
Weight Class: 8.6 t  
**Fuel Tank Capacity**

29.1 gal.

## Engine

### Engine Type

Tier 4 emissions  
**Horsepower**

59.4 hp @ 2,100 rpm  
**Fuel Type**

Diesel

## Hydraulics

### System Relief Pressure

3,045 psi  
**Std Pump Flow**

25.1 gpm

## Operational

### Travel Speed - Forward

2.9 mph high  
1.7 mph low  
**Arm Force**

8,069 ft. lbs.  
**Dig Depth**

15.5 ft.  
**Bucket Reach**

23.9 ft. at ground level

**Bucket Digging Force**

14,509 ft. lbs.

**Dump Height**

16.5 ft.

**Boom Lift Capacity**

9,327 lbs.

**Boom Swing Radius**

118.1 in.

**Boom Swing Radius - Left**

70°

**Boom Swing Radius - Right**

55°

**Tail Swing Radius**

Minimal